

## Vim-Problem im SuSE VMWare-Image

---

Wird Vim in einer Konsole im SuSE VMWare-Image aufgerufen, kommt es auf Grund einer fehlerhaften Konfiguration zu Darstellungsfehlern, die eine Verwendung des Editors unmöglich machen.

Zum Beheben des Problems muss die Datei  
/home/student/.vimrc  
bearbeitet werden.

Dies kann nach Aufruf einer Konsole mit  
student@linux-us1d:~> kwrite .vimrc  
erfolgen.

- Suchen Sie den folgenden Abschnitt,

```
"-----  
" Various settings          {{{2  
"-----  
set autoindent                  " copy indent from current line  
set autoread                    " read open files again when changed outside Vim  
set autowrite                   " write a modified buffer on each :next , ...  
set backspace=indent,eol,start   " backspacing over everything in insert mode  
set backup                      " keep a backup file  
set browsedir=current           " which directory to use for the file browser  
set columns=104                 " number of columns of the screen  
set complete+=k                  " scan the files given with the 'dictionary' option  
set history=50                  " keep 50 lines of command line history  
set hlsearch                     " highlight the last used search pattern  
set incsearch                    " do incremental searching  
set lines=48                    " number of lines of the Vim window  
set listchars=tab:>.,eol:\$       " strings to use in 'list' mode  
set mouse=a                      " enable the use of the mouse  
set nowrap                       " do not wrap lines  
set popt=left:8pc,right:3pc      " print options  
set ruler                        " show the cursor position all the time  
set shiftwidth=2                 " number of spaces to use for each step of indent  
set showcmd                      " display incomplete commands  
set smartindent                  " smart autoindenting when starting a new line  
set tabstop=2                    " number of spaces that a <Tab> counts for  
set visualbell                  " visual bell instead of beeping  
set wildignore=*.bak,*.o,*.e,*.~ " wildmenu: ignore these extensions  
set wildmenu                     " command-line completion in an enhanced mode  
set scrolloff=1                  " number of lines to keep above and below the
```

- löschen Sie die Zeilen  
**set columns=104** " **number of columns of the screen**  
**set lines=48** " **number of lines of the Vim window**
- speichern Sie die Datei und
- schließen sie den Editor.

Die Änderungen werden erst bei neu gestarteten Vim-Instanzen wirksam!